


LIT-49200

Flexible weatherproof outdoor LED strip perfect for architectural and landscape lighting. Allows for creation of amazing effects through indirect lighting while guaranteeing high lighting performance.

LIT-49200 | Outdoor flexible LED | Top/Side bend



Body material	Polyurethane resistance to UV
Dimension	5000 x 18.5 x 9.5mm
Diffuser	Optical lens 60°
Power supply	Constant voltage 24V DC



Customizable on request





*Longer lead time


Code	Strip lumen	Efficiency	LED wattage	Color temperature	Voltage
0884455	1644 lm/m	91.3 lm/m	18.0lm/w	Warm	24V
0884475	1900 lm/m	105.5 lm/m	18.0lm/w	Cool	24V




Accessories for Outdoor Flexible LED

Code	Description	
0315012	1Mtr/pcs Aluminum profile for Coveflex whale IP67	

Code	Description	
0315013	Mounting clips: 1 Bag= 1 clips + 1 screw	

Code	Description	
0315014	Holding clips: 1 bag= 10 clips + 20 screws	

Code	Description	
0315016	1 Bag= 1x30cm PU cable male connector + 1x30cm PU cable with female connector	

Code	Description	
0315017	1 Bag= T shape 20cm PU cable with male connector + female connector	